

R J Hill Laboratories LimitedTel1 Clyde StreetFaxPrivate Bag 3205EmHamilton 3240, New ZealandWe

 Tel
 +64 7 858 2000

 Fax
 +64 7 858 2001

 Email
 mail@hill-labs.co.nz

 Web
 www.hill-labs.co.nz

Page 1 of 1

# ANALYSIS REPORT

Client: Margaret Macbeth Contact: Margaret Macbeth 4545 Karamea Highway RD 3 KARAMEA 7893

Lab No:	843595 SPv1
Date Registered:	02-Dec-2010
Date Reported:	02-Dec-2010
Quote No:	
Order No:	14497
<b>Client Reference:</b>	Margaret McBeth Challenge
Submitted By:	Margaret Macbeth

#### **Analyst's Comments**

Appendix No.1 - True Blue Hand Sanitiser #T7 Challenge Test

These samples were collected by yourselves (or your agent) and analysed as received at the laboratory.

Samples are held at the laboratory after reporting for a length of time depending on the preservation used and the stability of the analytes being tested. Once the storage period is completed the samples are discarded unless otherwise advised by the client.

This report must not be reproduced, except in full, without the written consent of the signatory.

- 182 MM

Barbara Müller BSc Grad Dip LT Senior Technologist - Microbiology



RJ Hill Laboratories Limited 101c Waterloo Road Hornby Christchurch 8042 PO Box 16607 Christchurch 8441 New Zealand T +64 3 377 7176 F +64 3 377 7276 E chch@hill-labs.co.nz W www.hill-labs.co.nz

# **True Blue Hand Sanitiser Efficacy Trial**

Barbara Müller Hill Laboratories

The method employed to carry out this testing was based on AOAC Official Method 960.09 (Germicidal and Detergent Sanitizing Action of Disinfectants).

The neutraliser buffer used was DE Neutralising Broth.

The organisms used were:

- Escherichia coli
- Staphylococcus aureus
- Pseudomonas aeruginosa
- Candida albicans

Numeric counts were performed after one minute and five minute contact times.

A numeric count of the inoculant solutions was carried out before any contact times to ascertain the theoretical level of organisms inoculated into each sample. This is shown in Table 1.

-		
' L'al	hle	1.
1 a	υic	1.

Organism	cfu per mL of inoculum	Theoretical cfu per mL/g of Product
Escherichia coli	880,000,000	8,800,000
Staphylococcus aureus	550,000,000	5,500,000
Pseudomonas aeruginosa	1,600,000,000	16,000,000
Candida albicans	56,000,000	560,000

Results of the trial can be seen in the tables below.

### Escherichia coli

Contact time	Count before contact	LOG <sub>10</sub>	Count after contact	LOG <sub>10</sub>	LOG <sub>10</sub> decrease	% Decrease
1 minute	8,800,000	6.94	<100	<2	>4.94	>99.999
5 minutes	8,800,000	6.94	<100	<2	>4.94	>99.999

#### Staphylococcus aureus

Contact time	Count before contact	LOG <sub>10</sub>	Count after contact	LOG <sub>10</sub>	LOG <sub>10</sub> decrease	% Decrease
1 minute	5,500,000	6.74	1,800,000	6.26	0.48	67.27
5 minutes	5,500,000	6.74	300	2.48	4.26	99.995

### Pseudomonas aeruginosa

Contact time	Count before contact	LOG <sub>10</sub>	Count after contact	LOG <sub>10</sub>	LOG <sub>10</sub> decrease	% Decrease
1 minute	16,000,000	7.20	<100	<2	>5.20	>99.999
5 minutes	16,000,000	7.20	<100	<2	>5.20	>99.999

### Candida albicans

Contact time	Count before contact	LOG <sub>10</sub>	Count after contact	LOG <sub>10</sub>	LOG <sub>10</sub> decrease	% Decrease
1 minute	560,000	5.75	120,000	5.08	0.67	78.57
5 minutes	560,000	5.75	<100	<2	>3.75	99.98

The sanitiser shows good effectiveness against Gram negative organisms (*E.coli* and *Pseudomonas*) after one minute exposure time.

Effectiveness against Gram positive organism (*Staphylococcus*) and yeast (*Candida*) is somewhat less effective, with reasonable effectiveness only visible after 5 minutes.